



POWER POST BEETLE FUMIGATION

Sirenusa
St. John, USVI

Overview: These specifications include the furnishing of all professional services, equipment, labor and materials necessary to treat the Power Post Beetles at Sirenusa, St. John, USVI.

Scope of Work: *TERMINIX* will be providing treatment by sealing off all specified cabinets using 6 mil plastic and duct tape with spray adhesive. After all of the specified cabinets have been sealed off properly, *TERMINIX* will fumigate each area with Methyl Bromide at a rate of 10 lbs per 1000 cubic feet. After fumigation is complete, the areas will have to remain sealed for a period of no less than two (2) to three (3) days. (** Important: During fumigation, the entire structure will have to be vacant for a period of four (4) to five (5) days.) Upon approval of work, *TERMINIX* will provide detailed checklists and instructions to ensure safety.

The treatment procedure outlined above needs to remain sealed for a period of two (2) to three (3) days, creating a barrier around the foundation of your structures and disabling any powder post beetles from passing from their underground colony into the treated structure without first passing through this barrier. The amazing end result is swift and will eliminate any powder post beetle colony or colonies, wherever they may be.

Guarantee: *TERMINIX* provides a one (1) year warranty on all its power post beetle treatments. This written guarantee states that should powder post beetles return anywhere within the treated areas within a period of one (1) year from the date of the initial treatment, *TERMINIX* will return as needed at no additional charge to you.

Accepted this ____ day of September, 2014:


SIRENUSA

By _____
(Signature)

(Please print name)

(Please print your title)

TERMINIX

By 
Thomas J. McGrath, Field Inspector
340-642-7378